

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product Name:	VP 690
Supplier:	ValCool, LLC 5230 Brittmoore Rd Houston, TX77041
Telephone:	(800) 244-9004
Fax:	(888) 695-6449
Email:	support@valcool.com
In case of Emergency:	CHEMTREC 800-424-9300
Product Description	Heavy-duty non-chlorinated general purpose fluid

SECTION 2: HAZARD IDENTIFICATION

GHS Classification



GHS07
Skin Sens. 1B - H317 - May cause an allergic skin reaction.

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard-determining components of labeling 2,2',2''-nitrioltriethanol
Tolyltriazole sodium salt
TOFA DIPA Amide
3-Iodo-2-propynylbutylcarbamate

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves

Response Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.

Name: VP 690


Revision Date: 2/26/2018 – R2

ValCool, LLC
5230 Brittmoore Rd
Houston, TX 77041

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification System

NFPA ratings (scale 0 - 4)



Health = 1
Fire = 0
Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health	1
Fire	0
Reactivity	0

Health = 1
Fire = 0
Reactivity = 0

Other hazards Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization: Mixture

Description: Mixture of the substances listed below with nonhazardous additions.

Components/Ingredients	CAS No.	%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	25-50%
TOFA DIPA Amide	38618-12-1	2.5-<10%
Borate Amine	26038-87-9	2.5-<10%
2,2',2''-nitrilotriethanol	102-71-6	2.5-<10%
2-methylpentane-2,4-diol	107-41-5	2.5-<10%
3-Iodo-2-propynylbutylcarbamate	55406-53-6	0.1-<1%
Tolyltriazole sodium salt	64665-57-2	0.1-<1%

SECTION 4: FIRST AID MEASURES

Eye Contact Rinse opened eye for several minutes under running water. Then consult a doctor.

Skin Contact Immediately rinse with water.

Ingestion Do not induce vomiting. Seek medical attention immediately.



Name: VP 690
Revision Date: 2/26/2018 – R2

ValCool, LLC
5230 Brittmoore Rd
Houston, TX 77041

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Information for doctor:

Most important symptoms/effects, acute and delayed No further relevant information available.

Description of necessary first aid measures / specific treatments No further relevant information available.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable extinguishing agents Carbon Dioxide, Dry Chemical, Alcohol Foam or a light water spray

Special hazards arising from the substance or mixture No further relevant information available

Special Fire Fighting Instructions Full protective clothing and approved self-contained breathing apparatus if necessary for firefighting personnel.

Protective equipment No special measures required

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

Methods and materials for containment and cleaning up Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: HANDLING AND STORAGE

Handling

Precautions for safe handling	Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
Information about protection against explosions and fires	Keep respiratory protective device available.

Storage

Requirements to be met by storerooms and receptacles	Keep container closed when not in use. Store in a cool, dry, well ventilated place away from incompatible materials.
Information about storage in one common storage facility	Keep container tightly closed in a cool, well-ventilated place. Keep away from source of ignition.
Further information about storage conditions	Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Additional information about design of technical systems - No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace

2,2',2''-nitrioltriethanol	102-71-6
TLV	Long-term value: 5 mg/m ³
2-methylpentane-2,4-diol	107-41-5
REL	Ceiling limit value: 125 mg/m ³ , 25 ppm
TLV	Ceiling limit value: 121 mg/m ³ , 25 ppm
Additional information:	The lists that were valid during the creation were used as basis

Exposure controls

Personal protective equipment

General protective and hygienic measures	Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
--	---

Eye / Face Protection



Tightly sealed goggles.

Hand Protection



Protective Gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. When contact is likely wear chemical resistant gloves and boots.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory Protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	Liquid
Color	Light yellow
Odor	Mild
Specific Gravity at 20°C (68°F)	0.97 g/cm ³ (8.095 lbs/gal)
Density	N.D.
Evaporation rate	Not determined.
Flash Point	> 200 °C (>392 °F) (estimated)
Auto-ignition Temperature	Does not ignite.
Danger of explosion	No Danger
Boiling Point / Range	< 100 °C (< 212 °F)
pH Value at 20 °C (68 °F)	9.6
Solubility in Water	Limited by viscosity
Viscosity	
Kinematic	Not determined
Organic solvents	3.0 %
VOC content	3.0 %

(Neat): 150.2 g/L (Working Solution): 15 g/L

Other information No further relevant information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	No further relevant information available
Chemical Stability	
Thermal decomposition Conditions to Avoid	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reactions known
Conditions to Avoid	No further relevant information available
Incompatibility with other Materials	Do not mix with oxidizers
Hazardous decomposition materials	Carbon Dioxide and Carbon Monoxide and various unidentified organic hydrocarbons

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

LD/LC50 values that are relevant for classification:

3-Iodo-2-propynylbutylcarbamate	55406-53-6
Oral LD50	1470 mg/kg (rat)
Dermal LD50	1470 mg/kg (rat)
Inhalative LC50/4 h	>6.89 mg/l (rat)

Primary irritant effect

Eye Contact	Product is classified as moderately irritating to the eyes.
Skin Contact	This product is not expected to be toxic in contact with the skin.
Sensitization	Sensitization possible through inhalation.

Additional toxicological information The product shows the following dangers according to internally approved calculation methods for preparations: Irritant.

Carcinogenic categories

IARC (International Agency for Research on Cancer)	102-71-6	2,2',2''-nitilotriethanol	3
--	----------	---------------------------	---



Name: VP 690
Revision Date: 2/26/2018 – R2

ValCool, LLC
5230 Brittmoore Rd
Houston, TX 77041

NTP
(National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca
(Occupational Safety & Health Administration)

None of the ingredients is listed.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity No further relevant information available
Persistence and degradability No further relevant information available

Behavior in environmental systems

Bioaccumulative potential No further relevant information available
Mobility in soil No further relevant information available

Additional ecological information

General notes Not readily biodegradable.
Does not hydrolyse.
Results of PBT and vPvB assessment PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging

Recommendation Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Classification

UN number Not Regulated
UN proper shipping name Not Regulated
Transport hazard class(es) Not Regulated
Packing group Not Regulated



Name: VP 690
Revision Date: 2/26/2018 – R2

ValCool, LLC
5230 Brittmoore Rd
Houston, TX 77041

Environmental Hazards Not applicable.
Special precautions for user Not applicable.
Stowage Category A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation" Not Regulated

SECTION 15: REGULATORY INFORMATION

Sara

Section 355 (extremely hazardous substances) None of the ingredients is listed.

Section 313 (Specific toxic chemical listings)
55406-53-6 3-Iodo-2-propynylbutylcarbamate

TSCA

(Toxic Substances Control Act)
64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic
38618-12-1 TOFA DIPA Amide
26038-87-9 Borate Amine
102-71-6 2,2',2''-nitrioltriethanol
107-41-5 2-methylpentane-2,4-diol
55406-53-6 3-Iodo-2-propynylbutylcarbamate

Proposition 65

Chemicals known to cause cancer None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males None of the ingredients is listed.

Chemicals known to cause developmental toxicity None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency) None of the ingredients is listed

TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed

Name: VP 690

Revision Date: 2/26/2018 – R2

ValCool, LLC
5230 Brittmoore Rd
Houston, TX 77041

NIOSH-Ca

(National Institute for Occupational Safety and Health)

None of the ingredients is listed

GHS Label

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard-determining components of labeling 2,2',2''-nitriiotriethanol
Tolyltriazole sodium salt

TOFA DIPA Amide
3-Iodo-2-propynylbutylcarbamate

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves

Response Wash contaminated clothing before reuse.
If skin irritation or rash occurs: Get medical advice/attention.

Disposal Dispose of contents/container in accordance with
local/regional/national/international regulations.

National regulations

Chemical safety assessment A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Revision Date: 2/26/2018 - 2

Revision Date: 1/25/2018 - 1

Date: 11/10/2016

Abbreviations and acronyms:

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic



Name: VP 690

Revision Date: 2/26/2018 – R2

ValCool, LLC
5230 Brittmoore Rd
Houston, TX 77041

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1B: Sensitization - Skin, Hazard Category 1B

HMIS:

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, we make no warranty regarding the accuracy of such data or its suitability for any use or for any consequence of its use. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of user contemplated. We assume no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.