

ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product Name: VP 800 P

Supplier: ValCOOL, LLC

5230 Brittmoore Rd. Houston, TX 77041

Telephone: (800) 224-9004 **Fax:** (888) 695-6449

Email: support@ValCOOL.com

In case of Emergency: CHEMTREC

1-800-424-9300

Product Description Heavy-duty non-chlorinated general purpose fluid

SECTION 2: HAZARD IDENTIFICATION

GHS Classification



GHS07

Skin Sens. 1B - H317 - May cause an allergic skin reaction.

GHS label GHS label elements The product is classified and labeled

according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard-determining 1,2-benzisothiazol-3(2H)-one components of labeling 2,2',2''-nitrilotriethanol

ethanol,2,2'-(cyclohexylimino)-bis

Neodecanoic acid

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves

Response Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.




ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.

Classification System



Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization: Mixture

Description: Mixture of the substances listed below with nonhazardous additions.

Components/Ingredients	CAS No.	%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	2.5-<10%
Borate Amine	26038-87-9	2.5-<10%
Neodecanoic acid	26896-20-8	0.1- <u><</u> 2.5%
2,2',2"-nitrilotriethanol	102-71-6	0.1- <u><</u> 2.5%
1,1'-iminodipropan-2-ol	110-97-4	0.1- <u><</u> 2.5%
ethanol,2,2'-(cyclohexylimino)-bis	4500-29-2	0.1- <u><</u> 2.5%
2-aminoethanol	141-43-5	1- <u><</u> 2.5%
1,2-benzisothiazol-3(2H)-one	2634-33-5	0.1-<1%

SECTION 4: FIRST AID MEASURES

Eye Contact Rinse opened eye for several minutes under running water.

Skin Contact Immediately wash with water and soap and rinse thoroughly.

Ingestion Do not induce vomiting. Seek medical attention immediately.



Name: VP 800 P

SDS Date: 11/10/2016

ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Inhalation Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for

transportation.

Information for doctor:

Most important symptoms/effects, acute and delayed

No further relevant information available.

Description of necessary first aid measures / specific treatments

No further relevant information available.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable extinguishing Water, Water Spray, Foam, Dry powder, Carbon Dioxide (CO2).

agents

Special hazards arising No further relevant information available

from the substance or

mixture

Special Fire Fighting Full protective clothing and approved self-contained breathing

apparats if necessary for fire fighting personnel.

Protective equipment No special measures required

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment & emergency procedures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions

Instructions

Do not allow product to reach sewage system or any water

course.

Inform respective authorities in case of seepage into water

course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Prevent entry into

waterways, sewers, basements or confined areas.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

SECTION 7: HANDLING AND STORAGE

Handling

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires

Keep respiratory protective device available.

Storage

Requirements to be met by Keep container closed when not in use. Store in a cool, dry, storerooms and receptacles

well ventilated place away from incompatible materials.

Information about storage in Keep container tightly closed in a cool, well-ventilated place.

one common storage facility Keep away from source of ignition.

Further information about Keep receptacle tightly sealed

storage conditions

Specific end use(s) No further relevant information available.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Additional information about design of technical systems - No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace

2,2',2"-nitrilotriethanol 102-71-6

TLV Long-term value: 5 mg/m³

2-aminoethanol 141-43-5

PEL Long-term value: 6 mg/m³, 3 ppm

REL Short-term value: 15 mg/m³, 6 ppm

Long-term value: 8 mg/m³, 3 ppm

TLV Short-term value: 15 mg/m³, 6 ppm

Long-term value: 7.5 mg/m³, 3 ppm

Additional information The lists that were valid during the creation were used as basis



ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Store protective clothing separately.

Eye / Face Protection

Tightly sealed goggles

Hand Protection



Protective Gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. When contact is likely wear chemical

resistant gloves and boots. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Respiratory Protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form Liquid

Color Clear to Yellowish

Odor Light

Specific Gravity at 20 °C (68 °F) 1.01 g/cm³ (8.428 lbs/gal)

Density N.D.

Evaporation rate Not determined Flash Point Not applicable.



ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Auto-ignition Temperature Does not ignite.

Danger of explosion No Danger

Boiling Point / Range < 100 °C (< 212 °F)

pH- Value at 20 °C (68 °F) 9.3

Solubility in Water Soluble

Viscosity

Kinematic at 40 °C (104 °F) 5 mm²/s

Organic solvents 2.0 %

VOC content 2.0 %

(Neat): 150.2 g/L (Working Solution): 15 g/L

Solids Content 0.4 %

Other information No further relevant information available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity No further relevant information available

Chemical Stability

Thermal decomposition

Conditions to Avoid

Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reactions known

Conditions to Avoid No further relevant information available

Incompatibility with other

Materials

Do not mix with oxidizers

Hazardous decomposition

materials

Carbon Dioxide and Carbon Monoxide and various unidentified

organic hydrocarbons

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Primary irritant effect

Eye Contact Product is classified as moderately irritating to the eyes.

Skin Contact This product is not expected to be toxic in contact with the

skin.



Name: VP 800 P

SDS Date: 11/10/2016

ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Sensitization Sensitization possible through skin contact

Additional toxicological

information

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

IARC 102-71-6 2,2',2"-nitrilotriethanol

3

(International Agency for Research on Cancer)

NTP None of the ingredients is listed.

(National Toxicology Program)

OSHA-CaNone of the ingredients is listed.

(Occupational Safety & Health Administration)

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity No further relevant information available

Persistence and degradability No further relevant information available

Behavior in environmental systems

Bioaccumulative potential No further relevant information available

Mobility in soil No further relevant information available

Additional ecological information

General notes Not readily biodegradable.

Does not hydrolyse.

Results of PBT and vPvB PBT: Not applicable.

assessment vPvB: Not applicable.

Other adverse effects No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation Must not be disposed of together with household

garbage. Do not allow product to reach sewage system.



ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Uncleaned packagings

Recommendation Disposal must be made according to official regulations.

Recommended cleansing agent Water, if necessary with cleansing agents.

SECTION 14: TRANSPORT INFORMATION

DOT Classification

UN number

UN proper shipping name

Transport hazard class(es)

Packing group

Not Regulated

Not Regulated

Not Regulated

Not Regulated

Not Regulated

Not Regulated

Not applicable.

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

UN "Model Regulation"

Not Regulated

SECTION 15: REGULATORY INFORMATION

Sara

Section 355 None of the ingredients is listed.

(extremely hazardous substances)

Section 313 None of the ingredients is listed.

(Specific toxic chemical listings)

TSCA (Toxic Substances Control Act)

64742-52-5 Distillates (petroleum), hydrotreated heavy naphthenic

26038-87-9 Borate Amine

26896-20-8 Neodecanoic acid

102-71-6 2,2',2"-nitrilotriethanol

12645-31-7 Phosphoric acid, 2-ethylhexyl ester

110-97-4 1,1'-iminodipropan-2-ol

4500-29-2 ethanol, 2, 2'-(cyclohexylimino)-bis

141-43-5 2-aminoethanol

2634-33-5 1,2-benzisothiazol-3(2H)-one



Name: VP 800 P

SDS Date: 11/10/2016

ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

Proposition 65

Chemicals known to cause cancer None of the ingredients is listed.

Chemicals known to cause reproductive

toxicity for females

None of the ingredients is listed.

Chemicals known to cause reproductive

toxicity for males

None of the ingredients is listed.

Chemicals known to cause developmental toxicity

None of the ingredients is listed.

Carcinogenic categories

EPA None of the ingredients is listed

(Environmental Protection Agency)

TLV None of the ingredients is listed

(Threshold Limit Value established by ACGIH)

NIOSH-Ca None of the ingredients is listed

(National Institute for Occupational Safety and Health)

GHS label elements The product is classified and labeled

according to the Globally Harmonized System (GHS).

Hazard pictogram



GHS07

Signal word Warning

Hazard-determining 1,2-benzisothiazol-3(2H)-one components of labeling 2,2',2"-nitrilotriethanol

ethanol, 2, 2'-(cyclohexylimino)-bis

Neodecanoic acid

Hazard Statement May cause an allergic skin reaction.

Precautionary statements

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves

Response Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Disposal Dispose of contents/container in accordance with

local/regional/national/international regulations.



ValCOOL, LLC 5230 Brittmoore Rd. Houston, TX 77041

National regulations

Information about Workers are not allowed to be exposed to the hazardous carcinogenic

limitation of use materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

assessment

Chemical safety A Chemical Safety Assessment has not been carried out.

SECTION 16: OTHER INFORMATION

Revision Date: 2/8/2019 - 2

Abbreviations and acronyms:

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL**: Recommended Exposure Limit

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

HMIS:

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, we make no warranty regarding the accuracy of such data or its suitability for any use or for any consequence of its use. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of user contemplated. We assume no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.