

# SAFETY DATA SHEET FRESH START SUMP CLEANER

**SECTION 1. IDENTIFICATION** 

Product Name: FRESH START SUMP CLEANER Product Description: Cleaner Intended Use: Cleaner

Supplier:

Active Industrial Fluids Inc. 5156 Hennin Drive, Oldcastle, Ontario, Canada N0R 1L0 Tel: 519-737-0141

# SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview:May be irritating to eyes and skinPotential Health EffectsPrimary Routes of Exposure:Eye contactIngestionMay cause gastrointestinal irritation, avoid ingestionInhalationMay cause irritation of the respiratory tract, avoid breathingSkin contactAggravated Medical Condition: None known.



Other hazards None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS Substance / Mixture: Mixture

Hazardous components

| Chemical name                                   | CAS-No.   | Concentration |
|---|-----------|---------------|
| Ethylenediamine-tetraacetic acid, sodium salt   | 64-02-8   | <5%           |
| Hexahydro-1,3,5-Tris(2-Hydroxyethyl)-S-Triazine | 4719-04-4 | <5%           |
| 1-Propoxy-2 Propanol                            | 1569-01-3 | <5%           |
|   |           |               |

# **SECTION 4. FIRST AID MEASURES**

If inhaled: Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

In case of skin contact: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice. In case of eye contact: Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention. If swallowed: Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice. Most important symptoms and effects, both acute and delayed: First aid responder needs to protect himself.

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: No information available.

Specific hazards during firefighting: Cool closed containers exposed to fire with water spray.

Hazardous combustion products: Carbon oxides (CO, CO2), smoke, sulfur oxides and irritating vapours as products of incomplete combustion.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

Material can create slippery conditions.

Environmental precautions: If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up: Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition.

Soak up with inert absorbent material.

Ensure adequate ventilation.

Contact the proper local authorities.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling: For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components CAS-No. Value type (Form of exposure) Control parameters/ Permissible concentration Basis 1-Propoxy-2 Propanol 1569-01-3 TWA 50 ppm

#### STEL 75 ppm

**Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

# Personal protective equipment

Respiratory protection: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter type: organic vapour filter

Hand protection Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection: Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures: Wash hands and face before breaks and immediately after handling the product.

Wash contaminated clothing before re-use.

Ensure that eyewash station and safety shower are proximal to the work-station location.

Hygiene measures: Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Clear Liquid Colour : Pale Yellow Odour : Mild Odour Threshold : No data available

e : Ha Pour point : -5 °C Boiling point/boiling range : No data available Flash point : Not applicable Fire Point : No data available Auto-Ignition Temperature : No data available Evaporation rate : No data available Flammability : Low fire hazard. This material must be heated before ignition will occur. Upper explosion limit : No data available Lower explosion limit : No data available Vapour pressure : No data available Relative vapour density :No data available Density : 1.0 kg/l (15 °C / 59 °F) Solubility(ies) Water solubility : soluble Partition coefficient: noctanol/water: No data available Viscosity, kinematic : Not available Explosive properties : Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

#### SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions: Hazardous polymerization does not occur. Stable under normal conditions. Conditions to avoid: No data available Incompatible materials: Reactive with oxidizing agents and reducing agents. Hazardous decomposition products: May release COx, smoke and irritating vapours when heated to decomposition.

# SECTION 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure** Eye contact, Ingestion, Inhalation, Skin contact

Acute toxicity

#### Product:

Acute oral toxicity: Remarks: No data available Acute inhalation toxicity: Remarks: No data available Acute dermal toxicity: Remarks: No data available **Component:** 1-Propoxy-2 Propanol CAS1569-01-3 Acute oral toxicity: LD50 (Rat): 2,000 mg/kg

Acute inhalation: LC0 (Rat): 8.34 mg/L, 4 hours - no deaths at this level

Acute dermal: LD50 (Rabbit): 2000 mg/kg Ethylenediamine-tetraacetic acid, sodium salt

CAS64-02-8

Acute oral toxicity: LD50 (Rat): 2,000 mg/kg

Skin corrosion/irritation **Product:** Remarks: No data available Serious eye damage/eye irritation **Product:** Remarks: No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available STOT - single exposure No data available STOT - repeated exposure No data available

SECTION 12. ECOLOGICAL INFORMATION Ecotoxicity Component:

1-Propoxy-2 Propanol Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested). LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, > 100 mg/l, OECD Test Guideline 203 or Equivalent Acute toxicity to aquatic invertebrates LC50, Daphnia magna (Water flea), static test, 48 Hour, > 100 mg/l, OECD Test Guideline 202 or Equivalent Acute toxicity to algae/aguatic plants ErC50, Pseudokirchneriella subcapitata (green algae), static test, 96 Hour, Biomass, 1,466 mg/l, OECD Test Guideline 201 or Equivalent Ethylenediamine-tetraacetic acid, sodium salt Toxicity to fish: Remarks: (Bluegill) LC50: > 470 mg/L, 96 hours **Product:** Toxicity to daphnia and other aquatic invertebrates: Remarks: No data available Toxicity to algae: Remarks: No data available Toxicity to bacteria: Remarks: No data available Persistence and degradability **Product:** Biodegradability: Remarks: No data available **Bioaccumulative potential** No data available Mobility in soil No data available Other adverse effects

No data available

# SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company.

Waste must be classified and labeled prior to recycling or disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION International Regulations IATA-DGR Not Regulated. IMDG-Code Not Regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied. National Regulations TDG Not Regulated

#### **SECTION 15. REGULATORY INFORMATION**

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

The components of this product are reported in the following inventories:

DSL On the inventory, or in compliance with the inventory

**TSCA** All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

IECSC On the inventory, or in compliance with the inventory

ELINCS At least one component is not listed in EINECS but all such components are listed in ELINCS.

WHMIS Classification: D2-B

#### **SECTION 16. OTHER INFORMATION**

| HMIS Rating  | Health: 2 | Flammability: 0 Physical Hazard: 0 | Personal Protection: B |
|--------------|-----------|------------------------------------|------------------------|
| NFPA Ratings | Health: 2 | Flammability: 0 Instability: 0     |                        |

For Product Safety Information: 1 877-737-0141 Prepared by : Technical Service Revision Date: 2018/01/01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.