



## SAFETY DATA SHEET SUPER SYNTHETIC MACHINING COOLANT

### SECTION 1. IDENTIFICATION

**Product Name:** SUPER SYNTHETIC MACHINING COOLANT

**Product Description:** Metalworking Fluid

**Intended Use:** Metalworking Fluid

**Supplier:**

Active Industrial Fluids Inc. 5156 Hennin Drive, Oldcastle, Ontario, Canada N0R 1L0  
Tel: 519-737-0141

### SECTION 2. HAZARDS IDENTIFICATION

**Emergency Overview:**

May be irritating to eyes and skin

**Potential Health Effects**

Primary Routes of Exposure:

Eye contact May irritate eyes, avoid eye contact

Ingestion May cause gastrointestinal irritation, avoid ingestion

Inhalation May cause irritation of the respiratory tract, avoid breathing

Skin contact May irritate skin, avoid skin contact

Aggravated Medical Condition: None known.

**Other hazards**

None known.



### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration
Triethanolamine	102-71-6	<15%
Monoethanolamine	141-43-5	<10%
Hexahydro-1,3,5-Tris(2-Hydroxyethyl)-S-Triazine	4719-04-4	<3%
3,5,5Trimethylhexanoic Acid	3302-10-1	<10%

### SECTION 4. FIRST AID MEASURES

If inhaled: Move to fresh air.

Artificial respiration and/or oxygen may be necessary.

Seek medical advice.

In case of skin contact: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Wash skin thoroughly with soap and water or use recognized skin cleanser.

Wash clothing before reuse.

Seek medical advice.

In case of eye contact: Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Obtain medical attention.

If swallowed: Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physician or poison control center.

Never give anything by mouth to an unconscious person.

Seek medical advice.

Most important symptoms and effects, both acute and delayed: First aid responder needs to protect himself.

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: No information available.

Specific hazards during firefighting: Cool closed containers exposed to fire with water spray.

Hazardous combustion products: Carbon oxides (CO, CO<sub>2</sub>), smoke, and irritating vapours as products of incomplete combustion.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Material can create slippery conditions.

Environmental precautions: If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up: Prevent further leakage or spillage if safe to do so.

Remove all sources of ignition.

Soak up with inert absorbent material.

Ensure adequate ventilation.

Contact the proper local authorities.

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling: For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application area.

In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin, eyes and clothing.

Do not ingest.

Keep away from heat and sources of ignition.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Components with workplace control parameters**

Components CAS-No. Value type (Form of exposure)

Triethanolamine CAS102-71-6

ACGIH TLV TWA 5 mg/m<sup>3</sup>

Monoethanolamine CAS 141-43-5

ACGIH TLV TWA 6 ppm

**Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### **Personal protective equipment**

Respiratory protection: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter type: organic vapour filter

Hand protection Material : neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R).

Remarks: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye protection: Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures: Wash hands and face before breaks and immediately after handling the product.

Wash contaminated clothing before re-use.

Ensure that eyewash station and safety shower are proximal to the work-station location.

Hygiene measures: Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Wash face, hands and any exposed skin thoroughly after handling.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Liquid

Colour : Blue

Odour : Mild

Odour Threshold : No data available

pH : 9.5

Pour point : -5 °C

Boiling point/boiling range : No data available

Flash point : Not applicable

Fire Point : No data available

Auto-Ignition Temperature : No data available

Evaporation rate : No data available

Flammability : Low fire hazard. This material must be heated before ignition will occur.

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density :No data available

Density : 1.0 kg/l (15 °C / 59 °F)

Solubility(ies)

Water solubility : soluble

Partition coefficient: noctanol/water: No data available

Viscosity, kinematic : Not available

Explosive properties : Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

## **SECTION 10. STABILITY AND REACTIVITY**

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Stable under normal conditions.

Conditions to avoid: No data available

Incompatible materials: Reactive with oxidizing agents and reducing agents.

Hazardous decomposition products: May release COx, smoke and irritating vapours when heated to decomposition.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Information on likely routes of exposure**

Eye contact, Ingestion, Inhalation, Skin contact

### **Acute toxicity**

#### **Product:**

Acute oral toxicity: Remarks: No data available

Acute inhalation toxicity: Remarks: No data available

Acute dermal toxicity: Remarks: No data available

#### **Component:**

Triethanolamine CAS 102-71-6

Acute oral toxicity: LD50 (Rat): > 2,000 mg/kg

Acute dermal: LD50 (Rabbit): >2,000 mg/kg

Monoethanolamine CAS 141-43-5

Acute oral toxicity: LD50 (Rat): > 10,000 mg/kg

Acute dermal: LD50 (Rabbit): 1025 mg/kg

3,5,5Trimethylhexanoic Acid CAS 3302-10-1

Acute oral toxicity: LD50 (Rat): > 1100 mg/kg

Acute dermal: LD50 (Rabbit): >2,000 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Remarks: No data available

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks: No data available

### **Respiratory or skin sensitisation**

No data available

### **Germ cell mutagenicity**

No data available

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Component:

Triethanolamine CAS 102-71-6

Toxicity to fish: Remarks: LC50 >10000 mg/L, 96 hours fathead minnow

Monoethanolamine CAS 141-43-5

Toxicity to fish: Remarks: LC50 114-196 mg/L, 96 hours rainbow trout

3,5,5Trimethylhexanoic Acid CAS 3302-10-1

Toxicity to fish: Remarks: LC50 123 mg/L, 96 hours rainbow trout

#### Product:

Toxicity to daphnia and other aquatic invertebrates: Remarks: No data available

Toxicity to algae: Remarks: No data available

Toxicity to bacteria: Remarks: No data available

#### Persistence and degradability

##### Product:

Biodegradability: Remarks: No data available

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed disposal company.

Waste must be classified and labeled prior to recycling or disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

Not Regulated.

#### IMDG-Code

Not Regulated

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### TDG

Not Regulated

## SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

### The components of this product are reported in the following inventories:

**DSL** On the inventory, or in compliance with the inventory

**TSCA** All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

**IECSC** On the inventory, or in compliance with the inventory

**ELINCS** At least one component is not listed in EINECS but all such components are listed in ELINCS.

WHMIS Classification: D2-B

## SECTION 16. OTHER INFORMATION

HMIS Rating    Health: 1            Flammability: 0    Physical Hazard: 0            Personal Protection: B  
NFPA Ratings    Health: 1            Flammability: 0    Instability: 0

For Product Safety Information: 1 877-737-0141

Prepared by : Technical Service

Revision Date: 2018/01/01

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.